

**Release Notice:
X.desktop™ for
System 5.4 AViiON® Computers**

Release 3.5

August 1994

Part number 085-600420-00

This release notice applies to the following model:

P001

Restrictions and Trademarks

This software is made available solely pursuant to the terms of a license agreement which governs its use.

Restricted Rights Legend:

Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at Defense Federal Acquisition Regulation (DFARS) 252.227-7013 and in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at Federal Acquisition Regulations (FAR) 52.227-19, whichever may apply.

DATA GENERAL CORPORATION
4400 Computer Drive
Westboro, Massachusetts 01580

AViiON is a U.S. registered trademark of Data General Corporation.
CLARiiON and **DG/UX** are trademarks of Data General Corporation.
Legato NetWorker is a trademark of Legato Systems, Inc.
LOOKING GLASS is a U.S. registered trademark of Visix Software, Inc.
Motif is a trademark of Open Software Foundation, Inc.
NFS is a U.S. registered trademark of Sun Microsystems, Inc.
ONC and **SunOS** are trademarks of Sun Microsystems, Inc.
OSF/Motif is a trademark of the Open Software Foundation, Inc.
UNIX is a U.S. registered trademark of UNIX System Laboratories (USL), Inc.
X Window System is a trademark of Massachusetts Institute of Technology.
X.desktop is a trademark of IXI Limited.

Release Notice:
X.desktop™ for
System 5.4 AViiON® Computers
Release 3.5

085-600420-00

Revision History:

Effective with:

Original Release – August 1994 DG/UX System 5.4 Release 3.10

Contents

1	Introduction	5
2	Product Description	5
3	Environment	5
3.1	Hardware	6
3.2	Software	6
4	Enhancements and Changes	6
4.1	Enhancements	6
4.1.1	xsess Room Manager	7
4.2	Changes	7
4.2.1	Icons	7
4.2.2	The Preference Editor	7
4.2.3	Menus	8
4.2.4	The Icon Editor	8
4.2.5	Deskhelp	8
4.2.6	Pixmap Types	8
4.2.7	Directory Status Bar	8
4.2.8	People Objects	9
4.2.9	Treeview	9
4.2.10	Triggers	9
4.2.11	Structural changes	9
5	Notes and Warnings	9
5.1	Select Color from Screen Option	9
5.2	Preference Editor	10
5.3	Deskhelp	10
5.3.1	Default Settings	10
6	Documentation	11
6.1	Printed Documentation	11
6.2	On-Line Documentation	12
7	Software Distribution	12
7.1	Media	12
7.2	Files	12
8	Installation Instructions	12
9	Preparing a Software Trouble Report (STR)	13

1 Introduction

This release notice describes the X.desktop™ software product, a desktop manager for Data General's family of AViiON® computers running the X Window System. This notice also includes information not currently available in the product manuals (such as information developed after the current manuals were printed or corrections to the current manuals).

You can print additional copies of this release notice after you have loaded X.desktop. The file `/usr/opt/xdt/release/xdt_5.4R3.10.rn` is suitable for line printers. Please read this release notice completely before installing X.desktop 3.5. Detailed installation instructions are provided in this release notice.

2 Product Description

X.desktop provides a graphical user environment that represents your computer system as an extension of the real world. X.desktop allows you to do the following:

- Display a clear uncluttered window showing your files and programs as instantly-recognizable pictures.
- Manipulate your files directly with the mouse.
- With the mouse, use desktops to group related work together.
- Use online help without having to leave what you are doing.

X.desktop replaces Visix LOOKING GLASS® as the integrated DG/UX desktop manager.

When installing X.desktop 3.5 as part of your DG/UX installation, the file system for `/usr/opt/lookg` (assuming you installed LOOKING GLASS in a previous DG/UX revision) *is not* automatically deleted. You must do this manually. Consult the manual *Managing the DG/UX System* for information about how to delete a file system.

X.desktop 3.5 works with a number of vendor platforms and some of their proprietary applications. As a result, not all options available to be selected are supported on AViiON platforms.

3 Environment

This section describes the hardware environment.

3.1 Hardware

X.desktop requires an AViiON system with a minimum of 16Mb of memory. An X Window display, such as an AViiON workstation or third party X terminal, is required. X.desktop places additional memory/swap demands on your system. Prior to running X.desktop, refer to the “Installation Instructions” section to check your memory/swap requirements.

Chapter 2 of *Installing the DG/UX™ System* contains detailed disk space storage requirements. Consult these tables before beginning installation.

3.2 Software

Your AViiON system must be running DG/UX 5.4R3.10. The X Display device must be running a compatible version of the X Window System. Most X11R4 or X11R5 servers should be able to display the X.desktop 3.5 client.

4 Enhancements and Changes

4.1 Enhancements

The 3.5 release of X.desktop contains the following enhancements:

- Improved startup performance and a new startup panel with a progress indicator.
- Default setting for the Main desktop is full-screen root window mode.
- Prompts you to empty the trashcan before exiting.
- Additional automatic loop delay option to prevent periodic actions from being initiated.
- Additional background bitmaps for desktops and directories.
- Preference Editor has a clearer layout.
- The file structure gives improved support for localization. You can now access all textual components of the user interface for translation or customization.
- The DropEdit and DropFile objects were rewritten and moved to the Demos directory. This provides an easy way to teach new users about some of X.desktop’s features.
- Online help text was revised.
- Problems related to using triggers or to handling files in unusual circumstances (such as after renaming or trashing, or within Treeviews) were resolved.

4.1.1 **xsess Room Manager**

xsess is a screen manager that provides rooms functionality to X.desktop. This client allows you to logically group your X applications into rooms associated with specific desktops. Rooms contain related applications whose use may be desired at any given time. You can work with different groups of applications simply by changing from one room to another. Use **xsess** to promote efficient workspace organization and to reduce screen clutter. Consult the **xsess(1)** manual page for more information.

LibXsess.so.1 is a shared library that provides the communication layer between X.desktop and the **xsess** client.

4.2 **Changes**

The following changes were introduced in X.desktop 3.5.

4.2.1 **Icons**

- Most icons now incorporate animations; different pictures represent activated and non-activated status.
- Icons dragged out onto the desktop no longer appear shaded in the directory they came from.
- The default mini icons displayed when viewing by Name now look like the icons displayed when viewing by Icons.
- Default icon spacing was changed to make better use of available window space.
- By default, directory windows are now sized according to the number of icons they contain up to the default window size. The window for an empty directory has the default size.
- Double clicking on a directory icon with Mouse Button 1 now reuses the window, rather than creating a new window. Double clicking with Mouse Button 2 opens a new window.
- Broken symbolic links are no longer displayed as ghosts.

4.2.2 **The Preference Editor**

The Preference Editor has changed in the following ways:

- In the user interface, you can access either the entire Preference Editor from the icon in the General Toolshed or parts of the Preference Editor from the Options menu in the directory or desktop windows. Other general preferences, such as which tool and device to use for a particular purpose, can also be set from the Options menus.
- You can select color pixmaps as the background preference for directories and desktops.

- A library of sample preference settings is provided in the General toolshed and an option is included to archive your current preferences for future use.

4.2.3 Menus

Menu options that are not currently usable (for example, because you have not yet selected an item on which to perform the action) are grayed out or “stippled”.

Popup menus are provided in addition to the pulldown menus in directory and desktop windows. Icons also have associated popup menus with relevant menu options. The popup menus are normally accessed by holding down Mouse Button 3.

4.2.4 The Icon Editor

The new Icon Editor provides an Undo facility and a color wheel for selecting and modifying colors.

4.2.5 Deskhelp

Help information was substantially revised and now incorporates color pictures.

You can access a list of valid topics by entering the topic name **topics** in the Deskhelp topic dialog box.

4.2.6 Pixmap Types

XPM III format pictures can now be handled as well as XPM II. Note, however, that the new XPM III format pixmaps created in X.desktop 3.5 are not backwards compatible with X.desktop 3.0.

The Reference Guide does not appear in the Deskhelp window as implied by the picture on Page 17 of the *Getting Started Guide*. Also, there is no Deskhelp book entitled *Reference* as referred to on Page 16.

4.2.7 Directory Status Bar

Mini icons representing the special directories `.` and `..` now appear on the directory status bar. Double clicking on the `.` icon refreshes the current directory. Double clicking on the `..` icon opens the parent directory.

You can now cut and paste from the status bar. For example, you can cut and paste the directory path name into the text input field of a Get Text Input box.

4.2.8 People Objects

Default Root and Guest people objects are now available. Double click on the People icon in the Admin Toolshed to display the People desktop. You can create additional people objects using the File menu on the People desktop. Once you configure their objects, you can display information about people by double clicking on their object. You can use these objects to send mail by dropping files onto them.

4.2.9 Treeview

The Treeview layout was changed and new options were added to prune or grow a branch. The Preference Editor includes options for setting up the default display method of the Treeview.

4.2.10 Triggers

Default triggers now resemble the Motif™ Style Guide. Mouse Button 1 (usually the left mouse button) is now used to move items and Mouse Button 2 (usually the middle button) is now used to copy. Other configurations can be implemented using the Preference Editor.

If no desktop trigger is specified as the hold trigger and a mouse button is held down, the window manager popup menu is displayed.

4.2.11 Structural changes

The file layout in the X.desktop installation directory was changed. The directory rule files, previously named `.xdttdirinfo`, are now named `.xdttdir/<ll_TT>`.

`ll` is the language code and `TT` is the territory code. If the `.xdttdir/<ll_TT>` file is not found, `.xdttdirinfo` is tried. In this release of X.desktop 3.5, the only available language code/territory code pair is `en_US`. Therefore, directory rule files are named `.xdttdir/en_US`.

The first desktop that runs is now called `Main.dt` rather than `Initial.dt`. The `desktop_layout` clause must be included in `Main.dt`.

5 Notes and Warnings

5.1 Select Color from Screen Option

The **Select color from screen** option in the Icon and Preference Editor colorwheel Edit menus is disabled by default because some servers cannot handle this function. If you are using an X Window display other than a Data General AViiON workstation and want to test whether or not **Select color from screen option** can be used on your display, comment out the resource in the appropriate files in the `app_defaults/Prefed` and the `app_defaults/Pixed` directories for your language environment (`en_US` for English) by placing a `!` character at the start of the line.

The file should now contain the following lines:

```
Disable Grab colour from screen for Open Windows
! *grab_colour.sensitive : False
```

Try using **Select color from screen**. If this causes a problem with your server, you should re-disable the option.

5.2 Preference Editor

If tables displayed by objects such as DiskUsage contain poorly-aligned text, you can use the Preference Editor to select an appropriate fixed or courier font family from those available on your machine as the dialog font. Because of the many different configurations that X.desktop supports, the default font selected may not be the most appropriate for all machines.

The Icon and Preference Editor color selectors do not work on 24-bit TrueColor X-servers.

5.3 Deskhelp

Use F1 to get help if Deskhelp is already running.

In Deskhelp, topics are available if you are in the appropriate book. Therefore, if you get the message **Topic not found in current book** make sure that you are in the correct help book.

5.3.1 Default Settings

Please note the following information on default settings:

- If you select only point size as a filter, the Preference Editor can take a long time to display the matching fonts. To avoid this delay, first select a font, then a weight and angle, and then a point size. Note that the sizes listed in the Point size box are actually measured in decipoints and the characters will only appear at exactly this size if the screen resolution specified in the full font name is the same as the actual screen resolution.
- If you are running NIS, selecting Owner or Group from the Properties panel can be quite slow.
- If you double click on one of the sample preference files from the Preference Library (Pref_Lib), its settings will be installed instead of the default settings and it will overwrite the copy of the default preference file in your home directory (**.xdt_dir/installed.prf**). To reinstall the default preference settings, double click on the icon for your appropriate language preference settings (for example, **en_US**) in the subdirectory **rules/DG.user** found in the directory where you installed X.desktop.
- If you use the Preference Editor to make changes to the default settings and you want to return to those settings later, you must save the changes in a file with an appropriate name such as **myname.prf**, using the Archive installed preferences as an option in the Preference Library desktop File menu, before you install a sample preference file. Otherwise, when

installed.prf is overwritten your personal settings will be lost.

- Dragging a file from a directory into the trashcan does not delete it. The file remains in the original directory until the trash is emptied. However, the icon representing the file is no longer displayed in the directory; it is represented instead by a trash icon on the trash desktop. However, until the trashcan is emptied the file appears within a Treeview in its original place. If you want to restore the file, open the trash desktop and double-click on the relevant trash icon.
- Not all keyboards use the same key to call up a specific function. On some workstation and X terminal keyboards, for example, a diamond key is used instead of the Alt key. Also, on some keyboards the F11 key is used instead of Escape. If you find that keyboard combinations described in the X.desktop manuals do not work as expected on your keyboard, please refer to your keyboard manual.
- Use the F10 key in combination with the cursor keys to scroll across the menus of a window from the keyboard. To scroll in a main desktop full screen root window, use Alt+Shift+F2 and then F10 to give focus to the menu bar.
- Two types of pattern are supplied for use as backgrounds in your directories, desktops, and treeview windows. Both types have file names with the extension **.px**. However, they behave slightly differently. You can differentiate between the two by examining the appearance of the sample in the Preference Editor Pattern Selector Selected Pattern window.
- Bitmaps consist of a background and a foreground color only. The foreground color is usually black and the background color is the same as the normal background of your window.
- Pixmaps are solid color patterns often made up of various shades of gray. If you select a bitmap as the directory background pattern, you will see the normal directory background color through it. However, if select a pixmap, the normal directory background color is hidden from view by the solid pixmap. If you try to change the background color while you are using a background pixmap pattern, the selected color will not appear.

6 Documentation

6.1 Printed Documentation

The following documentation is provided with X.desktop 3.5:

Publication	Part Number
X.desktop 3.5 Release Notice	085-600420-00
X.desktop User Documentation Bundle	005-40707-00
X.desktop 3.5 Getting Started Guide	118011112-00
X.desktop 3.5 Ideas Guide	118011113-00
X.desktop 3.5 Reference Guide	118011114-00

6.2 On-Line Documentation

The following on-line manual pages are provided with X.desktop 3.5:

tellxdt3.1
xdt3.1

7 Software Distribution

7.1 Media

X.desktop is included with model number P001, the DG/UX Operating System with X Windows.

Additional X.desktop documentation can be obtained by ordering the appropriate model number below:

Description	Part Number
X.desktop 3.5 Release Notice	085-600420-00
X.desktop User Documentation Bundle	005-40707-00

7.2 Files

A list of files for X.desktop 3.5 is included in the file `/usr/opt/xdt/release/xdt_3.5.fl`.

8 Installation Instructions

X.desktop is installed during the installation of DG/UX. See the DG/UX release notice and the manual, *Installing the DG/UX™ System* for information on installing the DG/UX system. X.desktop requires its own virtual disk, which is automatically created during DG/UX installation.

To successfully start X.desktop 3.5, your system will need 10 MB of free memory or swap space (20,000 blocks). To see if you have adequate space, you can issue the following command:

```
sar -r 1 1
```

to get the amount of free memory and swap space on your system in blocks.

The total between these two columns should be at least 20,000 blocks. If it is not, you should add memory or swap space before starting X.desktop. Consult the manual, *Managing the DG/UX System*, for information on adding swap space to a system. Note that adding physical memory instead of swap space results in enhanced performance.

This release of X.desktop requires 50000 blocks of free disk space. The X.desktop package is named xdt, and loads into `/usr/opt/xdt`.

Once you have installed X.desktop, you may start it as follows:

Log in using your usual user name.

Start the X Window System and a suitable window manager such as **mwm**.

Use the **cd** command to move to the directory where you installed X.desktop (**/usr/opt/xdt**).

Type:

```
$ RUN
```

or if you want to keep your xterm window active, type:

```
$ RUN &
```

Within the directory where you installed X.desktop, there is a README file that lists two alternative ways of running X.desktop and includes details on the setting of environment variables.

To make it possible to run the program from other directories in the future, add the name of the directory in which the program binary files are stored to your search path. To do so, type the following if you are using the Bourne shell and the default installation directory:

```
$ PATH=/usr/opt/xdt/bin:$PATH; export PATH
```

or if you are using the C shell:

```
% setenv PATH /usr/opt/xdt/bin:$PATH
```

You can then run the program from any directory by typing:

```
$ xdt3 &
```

9 Preparing a Software Trouble Report (STR)

If you believe you have found an error with X.desktop or its documentation or if you have a suggestion for enhancing or improving the product, use a Data General Software Trouble Report (STR) to communicate this to Data General. The standard STR form is available online. It is called **/usr/release/STR_form** and is line printer ready. STR forms are also available from a Data General office or representative, or the Software Support Center. If your contract permits, you may report the information called for in this section to your Data General representative. Please include only one problem or suggestion on each STR form.

Please follow these guidelines when filling out your Software Trouble Report:

- List the name of the product as “X.desktop”.
- List the release number as 3.5.
- List the model number as P001.

