



INSTALLATION SPECIFICATIONS



SLOT ASSIGNMENTS

Slot	Data Channel Speeds Available		+5V Current Draw
	Allowed (Slot Chart)	Standard or High Speed #	
16	I/O		
15	I/O		
14	I/O		
13	I/O		
12	I/O		
11	MEMORY or I/O		
10	MEMORY or I/O		
9	MEMORY or I/O		
8	MEMORY or I/O		
7	MEMORY or I/O		
6	MEMORY or I/O		
5	MEMORY or I/O		
4	MEMORY or I/O		
3	MEMORY or I/O		
2	MEMORY or FPU	NOTE 2,3	
1	CPU	NOTE 1	
0	POWER SUPPLY		

NOTES:

- NOVA 4/S and NOVA 4/X 17A
NOVA 4/C 8A
- MEMORY (NOVA 4/S & 4/X only)
w/ BATTERY BACKUP OPTION PRESENT 4.4A
w/o BATTERY BACKUP OPTION PRESENT 5.6A
- FLOATING POINT UNIT 15A
- MAXIMUM 4 MEMORY BOARDS PER SYSTEM.
- MAXIMUM 10 I/O BOARDS CONNECTED TO I/O BUS W/O A BUS REPEATER.
- PUSH-ON TERMINATORS ON TOP MEMORY SLOT FOR NOVA 4/S & 4/X.
- PUSH ON TERMINATORS ON SLOT 2 FOR NOVA 4/C
- SEE PAGE 10 FOR +12V LOAD RESTRICTIONS.

Total +5V Current draw
Max +5V Current Available
+5V Current Surplus 100A

SPECIFICATIONS	NOVA 4 16-slot		
DIMENSIONS:	Width	Depth	Height
Millimeters	483.1	663.9	266.3
Inches	19.02	26.14	10.48
SERVICE CLEARANCES:	Front	Rear	
Millimeters	508.0	269.9	
Inches	20.0	11.89	
WEIGHT:	Empty	Fully Loaded	
Kilograms	35.38	49.9	
Pounds	78.0	110.0	
OPERATING ENVIRONMENT:			
Temperature (max)	55°C(131°F) 60Hz, 45°C(113°F) 50Hz		
Relative Humidity (max)	90%		
Altitude (max)	3084m(10,000')		
CABLES:	Length	Conn	Mating Conn
Primary Power			
Domestic	1.8m(6')	5-15P	6-15R
Export	1.8m(6')	6-15P	6-15R
External I/O Bus Cable	15.3m(50')		
HEAT OUTPUT:	1100 watts (3760 BTU/hr)		
POWER REQUIREMENTS:			
(Domestic)			
Voltage	102-132		
Hz	47-63		
Max Amp per Phase	12.0		
Phase	1		
Startup Surge per Phase	20A (max) for 0.25 seconds		
(Export)			
Voltage	187-264		
Hz	47-63		
Max Amp per Phase	7.0		
Phase	1		
Startup Surge per Phase	40A (max) for 0.12 seconds		
LINE CORDS:	Supply	Part No.	
	120V	109 000455	
	220/240	109 000456	

013-000840
BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

REV	ECO	APP	DATE
00	F802	✓	2-6-79

DRAWN <i>[Signature]</i>	APPROVED <i>[Signature]</i> 2/6/79
CHECKED	FIRST USED ON
ENGINEER	CODE IDENT 34984

TITLE
INSTALLATION DATA SHEET
NOVA 4 16-SLOT

DATA GENERAL CORPORATION	
WESTBORO, MASSACHUSETTS 01581	
SIZE C	CODE OIO
DRAWING NUMBER 000213	REV 00

TAILORING CPU JUMPERING NOVA 4/C

DEVICE CODE JUMPERS FOR FRONT PANEL AUTOMATIC PROGRAM LOAD
SELECT THE PROGRAM LOAD DEVICE CODE BY INSTALLING JUMPERS
W11, W8, W6, W7, W9, W10, AS FOLLOWS:

JUMPER OUT = 1 JUMPER IN = 0

EXAMPLE JUMPERING FOR DEVICE CODE 278:

W11	W8	W6	W7	W9	W10
IN	OUT	IN	OUT	OUT	OUT

W4 IS NOT INSERTED IF THE PROGRAM LOAD DEVICE IS A HIGH SPEED DEVICE, OTHERWISE IT IS INSERTED.


TYPE OF TRANSMISSION JUMPERS

TYPE OF TRANSMISSION	JUMPERS INSERTED*
20MA CURRENT LOOP EIA RS232-C	W1, W3 W2


* JUMPER 25 IS INSERTED IF THE SYSTEM TERMINAL IS A TELETYPE, OTHERWISE IT IS NOT INSERTED.

* JUMPERS W17 AND W18 MUST ALSO BE INSERTED AS SHOWN BELOW.

20MA CURRENT LOOP




EIA RS232-C



JUMPERS W17 AND W18
MUST NOT TOUCH!

W23 IS INSERTED TO DETERMINE THE BAUD RATE
AS SHOWN BELOW:
(9600 SHOWN)




W22 IS NEVER INSERTED.

THE FOLLOWING JUMPERS ARE ALWAYS INSERTED:

- W5
- W19
- W20
- W21
- W24

CPU/MEMORY LOADS

VOLTAGE	DESCRIPTION	CURRENT DRAW
+5V	SYSTEM WITHOUT BATTERY BACKUP	8.0A
+5V	SYSTEM WITH BATTERY BACKUP	7.5A
+5V MEM		0.5A
+12V MEM		0.7A
+15V		0.04A



STOP BIT JUMPERS

NUMBER OF STOP BITS	W15 JUMPER POSITION
1	IN
2	OUT

PARITY JUMPERS

TYPE OF PARITY	JUMPER POSITION	
	W12	W16
EVEN	OUT	IN
ODD	IN	IN
NONE	OUT	OUT

CHARACTER LENGTH JUMPERS

CHARACTER LENGTH	JUMPER POSITION	
	W13	W14
5 BITS	IN	IN
6 BITS	OUT	IN
7 BITS	IN	OUT
8 BITS	OUT	OUT

013-000640
BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

REV	ECO	APP	DATE	DRAWN	CHECKED	ENGINEER	APPROVED	FIRST USED ON	CODE IDENT
									34984

TITLE
INSTALLATION DATA SHEET
NOVA 4 16-SLOT

DATA GENERAL CORPORATION WESTBORO, MASSACHUSETTS 01581			
SIZE C	CODE 010	DRAWING NUMBER 000213	REV 00

TAILORING (CONT)

CPU JUMPERING NOVA 4/S OR 4/X

BAUD RATE JUMPERS

BAUD RATE	JUMPER POSITION				
	W17	W18	W19	W20	W27
50	IN	IN	OUT	IN	OUT
75	IN	IN	OUT	OUT	OUT
110	OUT	OUT	OUT	OUT	IN
134.5	IN	OUT	IN	IN	OUT
150	OUT	OUT	OUT	IN	OUT
200	IN	OUT	IN	OUT	OUT
300	OUT	OUT	IN	OUT	OUT
600	IN	OUT	OUT	IN	OUT
1200	OUT	IN	OUT	OUT	OUT
1600	OUT	IN	OUT	IN	OUT
2400	OUT	OUT	IN	IN	OUT
4800	OUT	IN	IN	OUT	OUT
9600	OUT	IN	IN	IN	OUT
19200	IN	IN	IN	OUT	OUT

PARITY JUMPERS

TYPE OF PARITY	JUMPER POSITION	
	W22	W21
EVEN	OUT	IN
ODD	IN	IN
NONE	OUT	OUT

CHARACTER LENGTH JUMPERS

CHARACTER LENGTH	JUMPER POSITION	
	W25	W24
5 BITS	IN	IN
6 BITS	OUT	IN
7 BITS	IN	OUT
8 BITS	OUT	OUT

TYPE OF TRANSMISSION JUMPERS


TYPE OF TRANSMISSION	JUMPERS INSERTED
20MA CURRENT LOOP	W4, W7, W2, W1
EIA RS232-C	W6, W3

STOP BIT JUMPERS

NUMBER OF STOP BITS	W23 JUMPER POSITION
1	IN
2	OUT

REAL TIME CLOCK JUMPER

	W28
RTC ENABLED	IN
RTC DISABLED	OUT



REF: DGC Dwg No. 107 000949

DEVICE CODE JUMPERS FOR FRONT PANEL AUTOMATIC PROGRAM LOAD

SELECT THE PROGRAM LOAD DEVICE CODE BY INSTALLING JUMPERS W13, W15, W14, W12, W10, W8 AS FOLLOWS:

JUMPER IN = 1 JUMPER OUT = 0

EXAMPLE JUMPERING FOR DEVICE CODE 27 :
8

W13	W15	W14	W12	W10	W8
OUT	IN	OUT	IN	IN	IN

W9 IS INSERTED IF THE PROGRAM LOAD DEVICE IS A HIGH SPEED DEVICE, OTHERWISE, IT IS REMOVED.

NOTE: JUMPERS W16 AND W26 ARE ALWAYS INSERTED. JUMPERS W5 AND W11 DO NOT EXIST.

+5V CURRENT DRAW = 17A

013-000840
BRUNING 40-526 27928


THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION

REV	ECO	APP	DATE	DRAWN	CHECKED	ENGINEER	APPROVED	FIRST USED ON	CODE IDENT
									34984


TITLE
INSTALLATION DATA SHEET
NOVA 4 16-SLOT

DATA GENERAL CORPORATION WESTBORO, MASSACHUSETTS 01581			
SIZE C	CODE 010	DRAWING NUMBER 000213	REV 00

TAILORING (CONT)
MEMORY JUMPERING
NOVA 4/S AND 4/X



REF: DGC Dwg No. 107 000813



NOVA 4/X MEMORY BOARD SELECT JUMPERS

ADDRESS RANGE	JUMPERS INSERTED*		
	BOARD SIZE		
	256KBYTES	128KBYTES	64KBYTES
0377777-	NONE	W8	W8 W10
0300000-			W8 W9
0277777-		W7	W7 W10
0177777-	0100000-		
0077777-	0000000-		

*NOTE: JUMPERS W1, W3, AND W5 ARE ALWAYS INSERTED.
 JUMPERS W2, W4, AND W6 ARE NEVER INSERTED.

NOVA 4/S MEMORY BOARD SELECT JUMPERS

ADDRESS RANGE	JUMPERS INSERTED*	
	BOARD SIZE	
	64 KBYTES	32KBYTES
0077777-	W7 W9	W7 W9 W12
0040000-		0037777-
0000000-	W7 W9 W11	

NOTE: JUMPERS W1, W3, AND W5 ARE ALWAYS INSERTED;
 JUMPERS W2, W4, AND W6 ARE NEVER INSERTED.

SYSTEMS SHOULD BE CONFIGURED WITH THE LARGER BOARDS OCCUPYING THE LOWER MEMORY ADDRESS RANGES.

MEMORY LOADS

VOLTAGE	DESCRIPTION	CURRENT DRAW
+5V	SYSTEM WITH BATTERY BACKUP	4.4
+5V	SYSTEM WITHOUT BATTERY BACKUP	5.6
+5V MEM		1.2
+12V MEM	FIRST BOARD IN CHASSIS	2.3
+12V MEM	EACH ADDITIONAL BOARD	0.3

013-000840
 BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.


REV		DRAWN		APPROVED	
ECO		CHECKED		FIRST USED ON	
APP		ENGINEER		CODE IDENT 34984	
DATE					

TITLE
INSTALLATION DATA SHEET
NOVA 4 16-SLOT


DATA GENERAL CORPORATION
 WESTBORO, MASSACHUSETTS 01581

SIZE	CODE	DRAWING NUMBER	REV.
C	010	000213	00

TAILORING (CONT) BACKPANEL JUMPERING



INTERNAL CABLING BACKPANEL CONNECTORS




013-000940
BRUNING 40-526 27928

REV		DRAWN	APPROVED	TITLE	DATA GENERAL CORPORATION WESTBORO, MASSACHUSETTS 01581
ECO		CHECKED	FIRST USED ON	INSTALLATION DATA SHEET	
APP		ENGINEER	CODE IDENT 34984	NOVA 4 16-SLOT	SIZE C CODE 010 DRAWING NUMBER 000213
DATE					SHEET 7 OF 10

CABINET MOUNTING

INSERTING PC BOARD




LEFT BRACKET
SLIDE SUPPORT
002 007986

RIGHT BRACKET
SLIDE SUPPORT
002 007988

HARDWARE MOUNTING KIT
005 012068

INSERTING POWER SUPPLY PCB



DG-08737

013-000840
BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS, HEREIN ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION.

REV	DATE	APP	ENGINEER
ECO			

DRAWN	APPROVED
CHECKED	FIRST USED ON
	CODE IDENT 34984


TITLE
INSTALLATION DATA SHEET
NOVA 4 16-SLOT

DATA GENERAL CORPORATION
WESTBORO, MASSACHUSETTS 01581
SIZE C CODE 010 DRAWING NUMBER 000213

16-SLOT CHASSIS LOAD BALANCING RULES


WITH BATTERY BACKUP:

1. THE LOAD OF -5V MUST NOT EXCEED 3.0 AMPS.
2. THE SUM OF THE LOADS ON +12V, +12V MEM AND +15V MUST NOT EXCEED (12.5 AMP - 0.55 (SUM OF CURRENT FROM +5 MEM-P AND -5 MEM-P)).
3. THE LOAD ON -5 MEM-P MUST NOT EXCEED 0.3 AMPS.
4. THE LOAD ON +5 MEM-P MUST NOT EXCEED 4.5 AMPS AND MUST BE AT LEAST 0.25 AMPS
5. THE LOAD ON +5V MUST NOT EXCEED 120 AMPS AND MUST BE AT LEAST 15 AMPS.
6. THE LOADS MUST BE WITHIN THE OPERATING REGION SHOWN BELOW:




WITHOUT BATTERY BACKUP:

1. THE SUM OF THE LOADS ON -5V AND -5V MEM-P MUST NOT EXCEED 3.0 AMPS.
2. THE SUM OF THE LOADS ON +12V, +12V MEM, AND +15V MUST NOT EXCEED 12.5 AMPS.
3. THE SUM OF THE LOADS ON +5V AND +5 MEM-P MUST NOT EXCEED 120 AMPS AND MUST BE AT LEAST 15 AMPS.
4. THE LOADS MUST BE WITHIN THE OPERATING REGION SHOWN BELOW:



SLOT LOADING RESTRICTIONS



NOTE: REED SWITCH TRIPS AT 22 AMPS.
REFERENCE DG 001-001563.

013-000940
BRUNING 40-526 27928

THIS DRAWING AND SPECIFICATIONS, HEREIN, ARE THE PROPERTY OF DATA GENERAL CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION

REV	ECO	APP	DATE	DRAWN	CHECKED	ENGINEER	APPROVED	FIRST USED ON	CODE IDENT
									34984

TITLE
INSTALLATION DATA SHEET
NOVA 4 16-SLOT

DATA GENERAL CORPORATION
WESTBORO, MASSACHUSETTS 01581

SIZE	CODE	DRAWING NUMBER	REV
C	010	000213	00